

**ENVIRONMENT CLEARANCE  
COMPLIANCE REPORT  
April 2025 – September 2025**

*For*

**GRANITE BUILDING STONE QUARRY  
(Minor Mineral)**

**Extent: 9.7128 Ha.**

*At*

Re.Sy No. : 946/2

Village	:	Chittar
Taluk	:	Konni
District	:	Pathanamthitta
State	:	Kerala

**'Granite Building Stone Quarry Project of  
M/s. Delta Aggregates & Sand Pvt.Ltd'**

**Environment Clearance No.19/2019  
Dated 15/05/2019**

To,

**The Deputy Director of Forests (c) MoEF,**  
Integrated Regional office Kedriya Sadan,  
Koramangala, 4th Floor, E&F Wings,  
17th Main Road, Koramangala II Block, Bangalore - 560034

Respected Sir,

**Sub: Environmental Clearance Compliance Report for the period April 2025 - September 2025 pertaining to Granite Building Stone Quarry of 'M/s. Delta Aggregates & Sand Pvt.Ltd'**

**Ref: Environmental Clearance No: 19/2019 dated: 15/05/2019.**

As per conditions of the above referred Environmental Clearance (EC), please find enclosed compliance report for period from April 2025 -September 2025 of the EC Granted to 'Granite Building Stone Quarry of M/s. Delta Aggregates & Sand Pvt.Ltd' by Ministry of Environmental & Forest under EPA (1986). Also enclosed relevant Annexures in Support of the compliance report for your perusal and record please. A soft copy of the same is sent by email for your record and perusal.

We hope you will find the attached Status Report in Order. Thanking you,

Yours truly,

**For 'Granite Building Stone Quarry of M/s. Delta Aggregates & Sand Pvt.Ltd'**



**Thomas Philip**  
**Owner**

Encl: as above

Cc: The Member Secretary  
State Environment Impact Assessment Authority (SEIAA)  
Directorate of Environment & Climate Change  
4th Floor, KSRTC Bus Terminal,  
Thampanoor, Kerala-01

## **Introduction**

M/s Delta Aggregates & Sands Private Limited, No 423Em, Chittar P.O Pathanamthitta, kerala – 689 663 has been granted for a mining lease to quarry Granite Building Stone over an area of 9.7128 Ha in Sy. Nos. 946/2 pt in Chittar Village, Konni Taluk, Pathanamthitta District, Kerala State.

The Environmental clearance is also obtained for this mining lease vide environmental clearance no 19/2019, Dated: 15.05.2019.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

**Description of the project**

File No.	239/SEIAA/KL/969/2014
Name of the project	M/s Delta Aggregates & Sands Private Limited
District and state	Pathanamthitta, Kerala
Taluk / Mandal	Konni
Category & Schedule	B2 & Schedule 1(a)
Khasara No. / Plot No. / Block / Gate No. etc.,	Sy. Nos. 946/2
Extent of Area	9.7128 Ha
Ownership/ Occupancy	Private Own Land
Existence of public road/railway line, if any, nearby and approximate distance Nearest Port / Airport	Nearest airport – Trivandrum (124.0 km)
Address of Registered office	Mr. Thomas Philip Managing Director, M/s Delta Aggregates & Sands Private Limited , Chittar – Post, Konni Taluk, Pathanamthitta – 689 663

Compliance for the Site-specific conditions & General conditions for the EC granted mining project of ‘Granite Building Stone Quarry of M/s Delta Aggregates & Sands Private Limited, Chittar vide E. C. File No: 239/SEIAA/KL/969/2014, Dated: 15.05.2019 is done and details are mentioned below.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

**SPECIFIC CONDITIONS:**

<b>Sl. No</b>	<b>Condition</b>	<b>Status of Compliance</b>
1	The Corporate Environmental Responsibilities to be carried out as per OM F.No.22-65/2017-IA-III dt.01.05.2018 in consultation with the District collector.	Corporate Environmental Responsibility (CER) activities have been carried out as per OM F.No.22-65/2017-IA-III dated 01.05.2018. Details and bills of CER implementation are attached as <b>Annexure - 19</b> .
2	Half yearly compliance report shall be submitted to SEIAA and there shall be site inspection by SEAC at regular intervals so that EC conditions are complied with and mining shall be carried out as per the Rules & Regulations of KMMCR 2015	Half-yearly compliance reports are being regularly submitted to SEIAA within the stipulated timeframe. The project operations strictly adhere to the provisions of the KMMCR, 2015, and mining activities are carried out as per the approved plan.

Compliance Report for the period of April 2025 – September 2025

Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited

**GENERAL CONDITIONS**

<b>Sl. No</b>	<b>Conditions</b>	<b>Status of compliance</b>
1	A separate environmental management and monitoring cell with qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	The Environmental Management Cell (EMC) conducts regular meetings to review environmental performance and compliance with EC conditions. The minutes of the latest EMC meeting have been documented and are enclosed as <b>Annexure 16</b> for reference. The discussions and action points from these meetings are implemented to ensure continual environmental improvement.
2	Suitable avenue trees should be planted along either side of the tarred road and open parking areas, if any, including of approach road and internal roads.	Avenue plantation has been carried out along both sides of the approach and internal roads, as well as in open parking areas, using native and dust-tolerant species. Regular watering and maintenance are ensured to achieve healthy growth and survival of the planted saplings. The purchase receipt and photographs of the plantation sites are enclosed as <b>Annexure 2.</b>
3	Sprinklers shall be installed and used in the project site to contain dust emissions.	Water sprinklers and tankers equipped with sprinklers are regularly used at the project site to control dust emissions. Photographs of these measures are enclosed as <b>Annexure 3.</b>

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

4	Eco-restoration including the mine closure plan shall be done at the own cost of the project proponent.	Eco-restoration and mine closure activities will be implemented at the project proponent's own cost at the time of mine closure. Preparatory measures are being planned to ensure effective rehabilitation of the site.
5.	In view of the deep pits left after the excavation, stacking at maximum top level should be carried out.	Noted.
6	Corporate Environment Responsibility agreed upon by the proponent should be implemented.	Corporate Environmental Responsibility (CER) initiatives have been carried out as planned. Details and supporting bills are attached as <b>Annexure - 19</b> .
7	The project proponent shall comply the conditions stipulated by the statutory authorities concerned.	Agreed.
8	Tarring /multiple options on the access roads shall be undertaken so as to reduce dust pollution during movement of vehicle.	Access roads are tarred and frequently watered to control dust emissions from vehicles. A photograph of the access roads is provided as <b>Annexure 4</b> .
9	Overburden materials should be managed within the site and used for reclamation of mine pit as per mine closure plan / specific conditions.	Overburden materials are being managed within the site and utilized for reclamation of the mine pit as per the approved mine closure plan. Photographs of the overburden dump are enclosed as <b>Annexure 17</b> .
10	Height of benches should not exceed 5 m, and width should not be less than 5 m, if there is no mention in the mining plan/specific condition.	Benches are being properly maintained in accordance with the guidelines specified in the mining plan.
11	Ground level should be fixed in individual cases separately	Noted.

Compliance Report for the period of April 2025 – September 2025

Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited

12	No mining operations should be carried out at places having a slope greater than 45.	No mining operations are being conducted in areas with slopes exceeding 45°. All activities are restricted to safe and approved zones as per the mining plan.
13	Acoustic enclosures should have been provided to reduce sound amplifications in addition to the provisions of green belt and hollow brick envelop for crushers so that the noise level is kept within prescribed standards given by CPCB/KSPCB. This condition is applicable only in such cases if a crusher is adjacent to the quarry.	Noise control measures, including acoustic enclosures, green belt development, and hollow brick coverings for crushers, have been implemented to keep sound levels within prescribed limits. Routine monitoring of noise is carried out, with supporting photographs and reports attached as <b>Annexure 5</b> and <b>Annexure 10</b> .
14	The workers on the site should be provided with the required protective equipment such as ear muffs, helmet, etc.	All workers on-site are provided with necessary personal protective equipment, including helmets, ear muffs, gloves, and safety boots. Regular checks are conducted to ensure proper usage and compliance with safety standards. Blasting shelters are provided, and photographs are attached as <b>Annexure 18</b> .
15	Garland drains with clarifiers to be provided in the lower slopes around the core area to channelize storm water.	Garland drains with clarifiers have been provided along the lower slopes around the core area to effectively channelize stormwater.
16	The transportation of minerals should be done in covered trucks to contain dust emissions. The proponent should plant trees at least 5 times of the loss that has been occurred while clearing the land for the project. SEAC should assess the number of trees in each project site before the issuance of EC so as to ensure the promptness in planting.	Minerals are transported in covered trucks to contain dust emissions. Photos of covered trucks are attached as <b>Annexure 6</b> . Plantation has been initiated to plant trees at least five times the number lost during land clearing for the project. Photos of plantation are attached as <b>Annexure 2</b> .

Compliance Report for the period of April 2025 – September 2025

Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited

17	Explosives should be stored in magazines in isolated place specified and approved by the Explosives Department.	Explosives are stored in magazines at an isolated location, as specified and approved by the Explosives Department. Photographs of the magazine are enclosed as <b>Annexure 14</b> , and a copy of the magazine license is attached as <b>Annexure 7</b> .
18	A minimum buffer distance of 100m from the boundary of the quarry to the nearest dwelling unit or other structures, not being any facility for mining shall be provided.	A minimum buffer distance of 100 meters from the boundary of the quarry to the nearest dwelling unit or other structures, excluding mining facilities, has been provided.
19	50 m buffer distance should be maintained from forest boundaries.	Noted.
20	Consent from Kerala State Pollution Control Board under Water and Air Act(s) should be obtained before initiating mining activity.	Consent from the Kerala State Pollution Control Board under the Water and Air Act(s) has been obtained before initiating mining activities. Copy of Consent from the Kerala State Pollution Control Board is attached as <b>Annexure 8</b> .
21	All other statutory clearances should be obtained, as applicable, by project proponents from the respective competent authorities including that for blasting and storage of explosives.	All other statutory clearances, including those for blasting and storage of explosives, have been obtained from the respective competent authorities as applicable. Copy of Magazine license is attached as <b>Annexure 7</b> . Copy of Consent from the Kerala State Pollution Control Board is attached as <b>Annexure 8</b> . Copy of Panchayat license is attached as <b>Annexure 9</b> .

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

22	In the case of any change(s) in the scope of the project, extent quantity, process of mining technology involved or in any way affecting the environmental parameters/impacts as assessed, based on which only the E.C is issued, the project would require a fresh appraisal by this Authority, for which the proponent shall apply and get the approval of this Authority.	In the case of any changes, a fresh appraisal will be undertaken, and approval will be sought from the Authority.
23	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Agreed.
24	The stipulations by Statutory Authorities under different Acts and Notifications should be complied with, including the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	Noted.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

25	The project proponent should advertise in at least two local newspapers widely circulated in the region, one of which (both the advertisement and the newspaper) shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Environment Impact Assessment Authority (SEIAA) office and may also be seen on the website of the Authority at <a href="http://www.seiaakerala.org">www.seiaakerala.org</a> . The advertisement should be made within 10 days from the date of receipt of the Clearance letter and a copy of the same signed in all pages should be forwarded to the office of this Authority as confirmation.	The advertisement has been published in two local newspapers widely circulated in the region. The copy advertisements are attached as <b>Annexure 15</b> .
26	The Environmental Clearance shall be put on the website of the company by the proponent.	Noted.
27	Proponent shall submit half yearly reports in soft copy and SEIAA will upload it on the website.	Agreed.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

28	<p>The details of Environmental Clearance should be prominently displayed in a metallic board of 3 ft x 3 ft with green background and yellow letters of Times New Roman font of size of not less than 40. Sign board with extent of lease area and boundaries shall be depicted at the entrance of the quarry, visible to the public</p>	<p>Details of the Environmental Clearance have been prominently displayed on a signboard Photo of EC board is attached as <b>Annexure 11.</b> Appropriate signboards and warning boards have been erected at relevant locations within the lease area. Photo of Sign boards are attached as <b>Annexure 13.</b></p> <p>Also, the lease area has been fenced with barbed wires, and boundary pillars have been erected. Photo of fencing and boundary pillar is attached as <b>Annexure 12.</b></p>
29	<p>The proponent should provide notarized affidavit (indicating the number and date of Environmental Clearance proceedings) that all the conditions stipulated in the EC shall be scrupulously followed.</p>	<p>Complied.</p>
30	<p>No change in mining technology and scope of working should be made without prior approval of the SEIAA, No further expansion or modifications in the mine shall be carried out without prior approval of the SEIAA, as applicable.</p>	<p>Agreed.</p>
31	<p>The Project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. Necessary safeguard measures to protect the first order streams, if any, originating from the mine lease shall be taken.</p>	<p>No natural watercourses or water resources are obstructed due to mining operations. Necessary safeguard measures will be taken to protect any first-order streams, if any, originating from the mine lease area in the future.</p>

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

32	<p>The top soil, if any, shall temporarily be stored at earmarked site(s) only for the topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only. The maximum height of the dumps shall not exceed 8m and width 20m and overall slope of the dumps shall be maintained to 45% The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining.</p>	<p>The topsoil and overburden are temporarily stored at earmarked sites and will be used for land reclamation and plantation purposes. Dumps are formed in benches, and plantation has been initiated for slope stabilization. Photographs of the dump site are attached as <b>Annexure 17</b>.</p>
33	<p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly.</p>	<p>Catch drains and siltation ponds have been constructed around mine workings, mineral, and OB dumps to prevent runoff and sediment flow into nearby water bodies. Collected water is used for watering the mine area, roads, and greenbelt development, and the drains are regularly desilted and maintained. A photograph of the silt settling tank is attached as <b>Annexure 01</b>.</p>
34	<p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PMs such as haul Road, loading and unloading points and transfer points it shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>Water sprinkling is being carried out regularly using a water tanker to control dust and ensure effective safeguard measures. Ambient Air Quality is regularly monitored, and the monitoring report is attached as <b>Annexure 5</b>. Monitoring report is attached as <b>Annexure 10</b>.</p>

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

35	Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained	Water sprinkling is regularly done on haul roads, loading and unloading points, and transfer points to control fugitive dust emissions. Photos of the sprinkling are attached as <b>Annexure 3</b> .
36	Measures should be taken for control of noise levels below 85 dBA in the work environment.	Noise control measures are implemented through controlled blasting techniques, along with the use of sharp drilling bits and the delivery of compressed air at optimal pressure. Additionally, regular maintenance of compressors, drilling machines, jackhammers, and tipper trucks is carried out to minimize noise. Also, noise levels are regularly monitored to ensure compliance. Noise monitoring photo is attached as <b>Annexure 5</b> . Monitoring report is attached as <b>Annexure 10</b> .
37	The funds earmarked for environmental protection measures and CER activate should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the State Environment Impact Assessment Authority (SEIAA) office.	Funds earmarked for environmental protection measures and CER activities are maintained in a separate account and are not diverted for other purposes. Details and bills of CER implementation are attached as <b>Annexure 19</b> .
38	The Regional Office of MOEF & CC located at Bangalore shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (S) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

39	Any appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted.
40	Concealing the factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted.
41	The SEIAA may revoke or suspend the order, for non implementation of any of the specific or this implementation of any of the above conditions is not satisfactory. The SEIAA reserves the right to alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	Agreed.
42	The above conditions shall prevail notwithstanding anything to the contrary, in consistent, or simplified, contained in any other permit, license on consent given by any other authority for the same project,	Agreed.
43	The Environmental Clearance will be subject to the final order of the courts in any pending litigation related to the land or project, in any court of law.	Noted.
44	The mining operation shall be restricted to above ground water table and it should not intersect ground water table.	The mining operation is being carried out as per the approved mining plan, ensuring that the operations remain above the ground water table and do not intersect it.

*Compliance Report for the period of April 2025 – September 2025*

*Granite Building Stone Quarry Project of M/s Delta Aggregates & Sands Private Limited*

45	All vehicles used for transportation and within the mines shall have "PUC certificate from authorized pollution taking centre. Washing of all vehicles shall be inside the lease area'	All vehicles used for transportation and within the mine have a valid PUC certificate from an authorized pollution control center. Washing of all vehicles is carried out inside the lease area.
46	Project proponent should obtain necessary prior permission of the competent authorities for drawal of requisite quantity of surface water and ground water for the project.	Noted.
47	Regular monitoring of flow rates and water quality upstream and downstream of the springs and perennial nallahs flowing in and around the mine lease area shall be carried out and reported in the six monthly reports to SEIAA.	Noted. Water quality monitoring report is attached as <b>Annexure 10</b> .
48	Occupational health surveillance program of the workers should be under taken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	Occupational health surveillance programs are being periodically conducted for workers to monitor any health effects due to dust exposure. Medical reports are attached as <b>Annexure 20</b> .

For 'Granite Building Stone Quarry project of M/s Delta Aggregates & Sands Private Limited



Thomas Philip  
(Managing Director)

SILT SETTLING TANKS



Chittar - Angamoozhy Rd, Chittar-seethathodu, Kerala 689663, India 🇮🇳  
Latitude 9.33436208° Longitude 76.94243576°  
Local 03:00:37 PM Altitude 89 meters  
GMT 09:30:37 AM Saturday, 06.09.2025

Chittar - Angamoozhy Rd, Chittar-seethathodu, Kerala 689663, India 🇮🇳  
Latitude 9.33410089° Longitude 76.94352822°  
Local 02:56:21 PM Altitude 89 meters  
GMT 09:26:21 AM Saturday, 06.09.2025

## AVENUE TREES & COMPENSATORY AFFORESTATION





GPS Map  
Camera Lite

Chittar - Angamoozhy Rd, Chittar-seethathodu, Kerala 689663, India 🇮🇳

Latitude  
9.3340936°

Longitude  
76.9426408°

Local 02:22:01 PM  
GMT 08:52:01 AM

Altitude 89 meters  
Saturday, 06.09.2025



GPS Map  
Camera Lite

Chittar - Angamoozhy Rd, Chittar-seethathodu, Kerala 689663, India 🇮🇳

Latitude  
9.33348685°

Longitude  
76.94266916°

Local 02:23:32 PM  
GMT 08:53:32 AM

Altitude 89 meters  
Saturday, 06.09.2025



**PANACHICKAL RUBBER NURSERY AND GARDENS**

ISO 9001-2008 Certified Nursery  
CHELLACKAD P.O., MADATHUMPADI, RANNI, PATHANAMTHITTA - 689677  
Phone : 9447668087, 9947405050  
MUNDAKKAYAM Ph : 9447087204

No. **5322**

Date 14/4/2025

To Delta Nurseries - Chittar

Rate	Particulars	Qty	Amount
250/-	26cm 12 1/2 m 1/2 m	8	2000
250/-	10cm 1/2 m 1/2 m	2	500
250/-	3cm 1/2 m	2	500
<b>TOTAL</b>			<u>3000/-</u>

Rupees.....

Manager



**PANACHICKAL RUBBER NURSERY AND GARDENS**

ISO 9001-2008 Certified Nursery  
CHELLACKAD P.O., MADATHUMPADI, RANNI, PATHANAMTHITTA - 689677  
Phone : 9447668087, 9947405050  
MUNDAKKAYAM Ph : 9447087204

No. **4122**

Date 4/6/2025

To Delta aggregates Chittar

Rate	Particulars	Qty	Amount
1000/-	2cm 1/2 m 1/2 m	1	1000
550/-	2cm 1/2 m 1/2 m	1	550
350/-	2cm 1/2 m 1/2 m	1	350
250/-	10cm 1/2 m 1/2 m	1	250
200/-	3cm 1/2 m 1/2 m	1	200
<b>TOTAL</b>			<u>2350</u>

Rupees.....

Manager



**PANACHICKAL RUBBER NURSERY AND GARDENS**

ISO 9001-2008 Certified Nursery  
CHELLACKAD P.O., MADATHUMPADI, RANNI, PATHANAMTHITTA - 689677  
Phone : 9447668087, 9947405050  
MUNDAKKAYAM Ph : 9447087204

No. **4418**

Date 18/7/2025

To Delta Chittar

Rate	Particulars	Qty	Amount
18/-	2cm 1/2 m 1/2 m	500	9000
<b>TOTAL</b>			<u>9000</u>

Rupees.....

Manager

**PANACHICKAL RUBBER NURSERY AND GARDENS**

ISO 9001-2008 Certified Nursery  
 CHELLACKAD P.O., MADATHUMPADI, RANNI, PATHANAMTHITTA - 689677  
 Phone : 9447668087, 9947405050  
 MUNDACKAYAM Ph : 9447087204

No. **4668**Date **15/05/2021**To **Delta Agri gear Chittoor**

Rate	Particulars	Qty	Amount
350/-	Van Dack Maniy	1	350
300/-	Kalapady	1	300
300/-	Alphonsa	1	300
500/-	Kulamp	1	500
250/-	All Scans	2	500
250/-	Chatkara Mann	1	250
300/-	Kootoor Eonam	1	300
300/-	Munvandas	2	600
<b>TOTAL</b>			<b>3100</b>

Rupees.....

**PANACHICKAL RUBBER NURSERY AND GARDENS**

ISO 9001-2008 Certified Nursery  
 CHELLACKAD P.O., MADATHUMPADI, RANNI, PATHANAMTHITTA - 689677  
 Phone : 9447668087, 9947405050  
 MUNDACKAYAM Ph : 9447087204

No. **4737**Date **15/07/2021**To **Delta Agri gear and Sund Pet LTD chittoor**

Rate	Particulars	Qty	Amount
18/-	Malarep	1000	18000
<b>TOTAL</b>			<b>18000</b>

Rupees.....

## WATER SPRINKLING



ACCESS ROAD



MONITORING PHOTOS



**COVERED TRUCKS**



## MAGAZINE LICENSE



GOVERNMENT OF INDIA  
 MINISTRY OF COMMERCE & INDUSTRY  
 PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)  
 (Formerly Department of Explosives)  
 Kendriya Bhavan, Block C-2, 3rd Floor  
 CSEZ PO Kakkanaid Dist. Ernakulam Ernakulam 682037  
 Tele: 2427286 Fax: 2427276  
 Email: dyceceochin@explosives.gov.in

No: E/SE/KL/22/434(E136737)

Dated : 27/05/2024

To,  
 Ms. Delta Aggregates and Sand Pvt. Ltd.,  
 Chittar P.O.  
 Town/Village - Chittar  
 Dist. PATHANAMTHITTA, State. Kerala, Pincode-689663

Subject: Possession for Use of Explosives from magazine at Survey No. 946/2, Village/Town, Chittar, Konni Taluk, Distt. PATHANAMTHITTA, State Kerala Licence No.: E/SE/KL/22/434(E136737) granted in Form LE-3 of Explosives Rules, 2008 -Endorsement regarding

Sir(s),

**Conditions:**

1) Intimation regarding quarrying operations at Survey Nos. 889/1-15-1 & 889/1-15, in Penmad Village, Ranni Taluk, Pathanamthitta District, Kerala vide Environmental Clearance No. 154/Q/2022, File No. 1773/EC/1/2020/SEIAA dated 11/10/2022 is acknowledged.

Reference memo No.: E/SE/KL/22/434(E136737) Dated 22/05/2024 from Dy. Chief Controller of Explosives, Ernakulam and inspection of the subject premises by an officer of this organization on 02/05/2024.

The subject licence No. E/SE/KL/22/434(E136737) valid upto 31st March 2029 duly endorsed as required under Rule 107(1) of the Explosives Rules 2008 is forwarded herewith.

For further renewal of licence, please submit following documents so as to reach this office on or before 31/03/2029.

- Application in Form RE-1 duly filled in and signed.
  - Licence fees renewable for one to five years, to be submitted online through e-payment facility available on online application portal under the Explosives Rules, 2008.
  - Original licence with approved plan.
  - In this connection, please also refer to Rule 112 of Explosives Rules, 2008.
- Indent for purchase of explosives shall be placed in RE-11 with the supplier and copy of the same shall be sent to this office. (Not applicable for fireworks store house)
  - Please submit quarterly returns of explosives in RE-7 at the end of every quarter so as to reach this office by 10th of the succeeding quarter. (Not applicable for fireworks store house)
  - All blasting operations shall be carried out by a competent person holding a valid shot firer's permit granted under above rules. However, blasting operations in mines coming under the purview of the Mines Act 1952, the blaster shall have qualifications prescribed in the regulations framed under the said Act.

Yours faithfully,

(Anil Kumar T)  
 Dy. Controller of Explosives  
 For Dy. Chief Controller of Explosives  
 Ernakulam

Copy Forwarded to:

1. District Magistrate, PATHANAMTHITTA, Kerala with reference to his Noe No: DCPFA/4190/2021/B4(E/KL/PMT/E136737/(N2203)) Dated: 29/02/2024.

For Dy. Chief Controller of Explosives,  
 Ernakulam

[For more information regarding status, fees and other details, please visit our web site <http://explosives.gov.in>]

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**



भारत सरकार | Government of India  
वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry  
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)  
पूर्व नाम: विस्फोटक विभाग | Formerly - Department of Explosives  
केन्द्रीय भवन, ब्लाक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor  
CSEZ पी.ओ.कक्कनाड कोच्ची | CSEZ PO Kakkanaad Dist. Ernakulam Ernakulam 682037  
फोन (Phone):- 2427286 | फैक्स (Fax):- 2427276

संख्या (No.): E/SE/KL/22/434(E136737)

दिनांक (Date): 18/10/2024

सेवा में | To,

M/s.Delta Aggregates and Sand Pvt. Ltd.,  
Chittar P.O., Town/Village - Chittar  
District-PATHANAMTHITTA, State-Kerala, Pincode - 689663

विषय: Survey No 946/2, ग्राम Chittar, Konni Taluk, जिला PATHANAMTHITTA, राज्य Kerala में मेसर्स M/s.Delta Aggregates and Sand Pvt. Ltd. द्वारा विस्फोटक के मैगजीन में उपयोग के लिए कब्जा हेतु विस्फोटक नियम, 2008 के अंतर्गत LE-3 में जारी अनुज्ञप्ति सं E/SE/KL/22/434(E136737) के संशोधन संदर्भ में।  
( विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन अरिखण / सुविधाएं / परिसर में परिवर्तन )

Subject: Possession for Use of Explosives from magazine situated at Survey No.:946/2, Chittar, Konni Taluk, Dist. PATHANAMTHITTA, Kerala -Licence No.: E/SE/KL/22/434(E136737) granted in Form LE-3 of Explosives Rules, 2008 - (Amendment of Quantity of Explosives/Monthly Purchase Limit Amendment in Drawings/Facilities/Premises).

महोदय | Sir,

आपका उपर्युक्त विषय पर पत्र संख्या 132599 दिनांक 17/10/2024 का संदर्भ ग्रहण करें।  
Please refer to your letter no. 132599 dated 17/10/2024.

अनुज्ञप्ति संख्या E/SE/KL/22/434(E136737) विस्फोटक की मात्रा / मासिक खरीद सीमा में परिवर्तन अरिखण / सुविधाएं / परिसर में परिवर्तन के संदर्भ में यथा संशोधित कर भेजी जा रही है।  
The Licence No.: E/SE/KL/22/434(E136737) is forwarded herewith duly amended in respect of followings:

Quantity of Explosives/Monthly Purchase Limit Drawings/Facilities/Premises

किसी भी एक समय में लाइसेंस क्षमता निम्नलिखित वर्ग तथा मात्रा से अधिक नहीं होगी।  
The licence capacity at any one time shall not exceed the kinds and quantities mentioned below:

संख्या No	विस्फोटक Explosive(s)	वर्ग Class	प्रभाग Div	उप-प्रभाग Sub Div	क्षमता Capacity	इकाई Unit
1	Nitrate Mixture	2	0	0	300	Kg.
2	Safety Fuse	6	1	0	1000	Mtrs
3	Detonators	6	3	0	4000	Nos.

किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा (अनुच्छेद 3 (ख) और (ग) के अधीन अनुज्ञप्ति के लिए लागू) : 5 गुना  
Quantity of explosives to be purchased in a calendar month[applicable for licence under article 3(b) and (c)]: 5 times as above.

यह अनुज्ञप्ति दिनांक 31 मार्च 2029 तक प्रवृत्त रहेगी।  
This Licence shall remain valid till 31st day of March 2029.

अनुज्ञप्ति के आगामी नवीकरण हेतु कृपया विस्फोटक नियम, 2008 के नियम 112 के अंतर्गत प्रक्रिया का पालन करें। कृपया पावती दें।  
For further revalidation(if required), please follow the procedure under Rule 112 of Explosives Rules, 2008. Receipt of this letter may please be acknowledged.

भवदीय | Your's faithfully

(डा.एस.के.दीक्षित | Dr. S K Dixit)

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives

कोच्ची | Ernakulam

प्रतिलिपि प्रेषित | Copy Forwarded to:

- District Magistrate, PATHANAMTHITTA, Kerala with reference to his Noc No: DCPA/4190/2021/B4(E/KL/PMT/E136737/7(N2203)) Dated: 29/02/2024
- Superintendent of Police, PATHANAMTHITTA, Kerala.

उप मुख्य विस्फोटक नियंत्रक | Deputy Chief Controller of Explosives  
कोच्ची | Ernakulam

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।)  
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**



भारत सरकार | Government of India

वाणिज्य और उद्योग मंत्रालय | Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो) | Petroleum & Explosives Safety Organisation (PESO)

पूर्व नाम- विस्फोटक विभाग | Formerly- Department of Explosives

केन्द्रीय भवन, ब्लॉक सी-2, तीसरी मंजिल | Kendriya Bhavan, Block C-2, 3rd Floor

CSEZ पी.ओ. कक्कानाड कोच्ची | CSEZ PO Kakkannad Dist. Ernakulam Ernakulam 682037

फ़ोन (Phone):- 2427286 | फ़ैक्स (Fax):- 2427276

Email: dyccecochin@explosives.gov.in

संख्या / No. : E/SE/KL/22/434(E136737)

दिनांक / Date : 28/10/2024

सेवा में / To,

M/s. Delta Aggregates and Sand Pvt. Ltd.,

Chittar P.O., Chittar

Distt. PATHANAMTHITTA, State. Kerala, Pincode-689663

विषय /

magazine Possession for Use Explosives at Survey No.:946/2, Village/Town. Chittar, Konni Taluk, Distt.

Subject :

PATHANAMTHITTA, State Kerala Licence No.:E/SE/KL/22/434(E136737) granted in Form LE-3 of Explosives Rules, 2008 - call for documents regarding.

महोदय / Sir(s),

Reference No 133156 dated 25/10/2024.

With reference to your application No. 133156 Dated 25/10/2024, following points are noted :

1. Details of quarry situated at Survey No. 946/2 pt, Chittar Village & Panchayat, Ranni Taluk, Pathanamthitta District, Kerala are acknowledged. Explosives can be used after obtaining work order/agreement or lease agreement/permit from concerned statutory authority & by following the provisions of Explosives Rules 2008.

Please Mention the above Letter No for all further correspondences with this office.

भवदीय / Yours faithfully,

दीपक कुमार / Deepak Kumar

विस्फोटक नियंत्रक / Controller of Explosives

कृते उप मुख्य विस्फोटक नियंत्रक / Dy. Chief Controller of Explosives

कोच्ची / Ernakulam

[अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क आदि के लिए हमारी वेबसाइट <http://peso.gov.in> देखें।]

[For more information regarding status, fees and other details, please visit our web site <http://peso.gov.in>]

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

**Disclaimer : This page gives the latest action taken by this organization on your application. This page is made available for the information of concerned applicant/licensee only. All efforts have been made to secure this information. However, PESO will not be responsible for any misuse of the information by unauthorized persons including the hackers.**

अनुज्ञापित प्ररूप एत. ई.-3 | LICENCE FORM LE-3

(विस्फोटक नियम, 2008 की अनुसूची 4 के भाग 1 के अनुच्छेद 3(क) से (घ) देखिए।)  
(See article 3(a) to (d) of Part 1 of Schedule IV of Explosives Rules, 2008)

(ग) उपयोग के लिए एक समय पर वर्ग 1,2,3,4,5 या वर्ग 7 के विस्फोटक या किसी मैगजीन में वर्ग 6 के विस्फोटक रखने के लिए अनुज्ञापित  
Licence to possess : (c) for use,explosives of class 1, 2,3,4,5,6 or 7 in a magazine

अनुज्ञापित सं. (Licence No.) : E/SE/KL/22/434(E136737)

वार्षिक फीस रूपए (Annual Fee Rs): 2400/-

1. Licence is hereby granted to

M/s.Delta Aggregates and Sand Pvt. Ltd. (अधिभोगी / Occupier : Shri THOMAS PHILIP), Chittar P.O., Town/Village - Chittar,  
District-PATHANAMTHITTA, State-Kerala, Pincode - 689663



को अनुज्ञापित अनुदत्त की जाती है।

2. अनुज्ञापितधारी की प्रारिथि | Status of licensee : Company

3. अनुज्ञापित निम्नलिखित प्रयोजनों के लिए विधिमाम्य है।  
Licence is valid only for the following purpose. possess for use of Nitrate Mixture, Safety Fuse, Detonators, - के उपयोग के लिए

4. अनुज्ञापित विस्फोटकों के निम्नलिखित किस्मों, प्रकार और मात्रा के लिए विधिमाम्य है।  
Licence is valid for the following kinds and quantity of explosives: -- (क) (a)

क्र. सं. Sr. No.	नाम और विवरण Name and Description	वर्ग और प्रभाग Class & Division	उप-प्रभाग Sub-division	मात्रा किसी एक समय में Quantity at any one time
1.	Nitrate Mixture	2, 0	0	300 Kg
2.	Safety Fuse	6, 1	0	1000 Mtrs
3.	Detonators	6, 3	0	4000 Nos.

(ख) किसी एक कलेंडर मास में खरीदे जाने वाले विस्फोटक की मात्रा | अनुच्छेद 3(ख) और (ग) के अधीन अनुज्ञापित के लिए

(b) Quantity of explosives to be purchased in a calendar month|applicable for licence under article 3(b) and (c) :

5 times  
as above.

5. निम्नलिखित रेखाचित्र (रेखाचित्रों) से अनुज्ञापित परिसर की पुष्टि होती है।  
The licensed premises shall conform to the following drawing(s):

रेखाचित्र क्र. (Drawing No.) E/SE/KL/22/434(E136737)

दिनांक (Dated) 18/10/2024

6. अनुज्ञापित परिसर निम्नलिखित पते पर स्थित है। The licensed premises are situated at following address:

Survey No. 946/2, ग्राम (Town/Village) : Chittar, Konni Taluk

पुलिस थाना (Police Station) : Chittar

जिला (District) PATHANAMTHITTA

राज्य (State) Kerala

पिनकोड (Pincode) 689663

दूरभाष (Phone)

ई. मेल (E-Mail) deltaaggregatesandsand@gmail.com

फैक्स (Fax)

7. अनुज्ञापित परिसर में निम्नलिखित सुविधाएं अंतर्भूत हैं।  
The licensed premises consist of following facilities.

Two Portable magazines of B (S. No. 11) & D type (S. No. 957) fabricated by  
M/s.Thekkans Engineering & Fabrication Works, Ernakulam.

8. अनुज्ञापित समय समय पर पथासंशोधित विस्फोटक अधिनियम, 1884 और उनके अधीन विरचित विस्फोटक नियम, 2004 के उपबंधों, शर्तों और अतिरिक्त शर्तों और निम्नलिखित उपाबंधों के अधीन रहते हुए अनुदत्त की जाती है।  
The licence is granted subject to the provision of Explosives Act 1884 as amended from time to time and the Explosives Rules, 2008 framed there under and the conditions, additional conditions and the following Annexures.

- उपयुक्त क्रम सं. 5 में पथा कथित रेखाचित्र (स्थान, सन्निर्माण संबंधी और अन्य विवरण दर्शित करते हुए।)  
Drawings (showing site, constructional and other details) as stated in serial No. 5 above.
- अनुज्ञापित प्राधिकारी द्वारा हस्ताक्षरित इस अनुज्ञापित की शर्तों और अतिरिक्त शर्तों।  
Conditions and Additional Conditions of this licence signed by the licensing authority.
- दूरी प्ररूप DE-2 | Distance Form DE-2.

9. यह अनुज्ञापित तारीख 31 मार्च 2029 तक विधिमाम्य रहेगी। This licence shall remain valid till 31st day of March 2029.

यह अनुज्ञापित, अधिनियम या उसके अधीन विरचित नियमों या अनुसूची V के भाग 4 के प्रति निर्दिष्ट सेट-VII के अधीन तथा उपवर्णित इस अनुज्ञापित की शर्तों का अधिक्रमण करने या यदि अनुज्ञापित परिसर योजना या उससे संलग्न उपबंध में दर्शित विवरण के अनुरूप नहीं पाए जाने पर निलंबित या प्रतिसंज्ञित की जा सकती है, जहां वह लागू हो।

This licence is liable to be suspended or revoked for any violation of the Act or Rules framed there under or the conditions of this licence as set forth under Set VIII, wherever applicable, referred to in Part 4 of Schedule V or if the licensed premises are not found conforming to the description shown in the plans and Annexure attached hereto.

तारीख | The Date - 19/04/2024

उप मुख्य विस्फोटक नियंत्रक | Dy. Chief Controller of Explosives  
Ernakulam

Amendments :

- Amendment in Drawings/Facilities/Premises dated : 10/06/2024
- Amendment in Drawings/Facilities/Premises dated : 18/10/2024
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 18/10/2024

नवीनीकरण के पुष्टिकरण के लिए स्थान  
Space for Endorsement of Renewal

नवीकरण की तारीख  
Date of Renewal

समाप्ति की तारीख  
Date of Expiry

अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प  
Signature of licensing authority and stamp

**कानूनी चेतावनी :** विस्फोटकों को गलत ढंग से चलाने या उनका दुरुपयोग विधि के अधीन गंभीर दंडिक अपराध होगा।  
**Statutory Warning :** Mishandling and misuse of explosives shall constitute serious criminal offence under the law.

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

Digitally signed by SUBODH KUMAR DIXIT  
Reason: Licence No. : E/SE/KL/22/434  
Location:Ernakulam [E136737]  
Date:18-10-2024 13:10:23 PM

**(सेट VIII) (Set VIII)**

**मैगजीन में वर्ग 1,2,3,4,5,6, और 7 के विस्फोटकों को विक्री या प्रयोग हेतु रखने के लिए प्ररूप एल.ई. 3 (अनुच्छेद 3 (ख) से (ग)) में मुख्य विस्फोटक नियंत्रक या विस्फोटक नियंत्रक द्वारा प्रदान किए जाने वाले अनुज्ञापति सं. E/SE/KL/22/434(E136737) की शर्तें निम्नलिखित हैं।**  
**The following are the conditions of licence number E/SE/KL/22/434(E136737) to possess for sale or use, explosives of Class 1,2,3, 4, 5, 6 and 7 in a magazine in Form LE-3 (articles 3(b) to (c) ) granted by Chief controller of Explosives or Controller of Explosives.**

- परिसर में किसी भी समय विस्फोटकों की मात्रा अनुज्ञापन योग्य सामर्थ्य से अधिक नहीं होगी।  
The quantity of explosives on the premises at any one time shall not exceed the licensable capacity.
- विस्फोटकों के भंडारण के लिए प्रयुक्त होने वाली मैगजीन अनुसूची III और अनुज्ञापति के उपाबंध में विनिर्दिष्ट सुरक्षा दूरी बनाए रखना होगा।  
The magazine used for storage of explosives shall maintain safety distance specified in Schedule III and annexure to the licence.
- मैगजीन का प्रयोग उन सभी विस्फोटकों के, जो इस अनुज्ञापति में विनिर्दिष्ट हैं, रखे जाने के लिए और ऐसे रखे जाने से संबद्ध आधान या औजार या उपकरणों के रखे जाने के लिए ही किया जाएगा; अन्यथा नहीं।  
The magazine shall be used only for keeping all explosives specified in this licence and of receptacles for, or tools or implements for work connected with the keeping of such explosives.
- पैकजों को खोलने का कार्य और विस्फोटकों को तोलने तथा पैक करने का कार्य मैगजीन में नहीं किया जाएगा।  
The opening of packages and the weighing and packing of explosives shall not be carried on in the magazine.
- दो या दो से अधिक वर्णन के विस्फोटकों को, जिन्हें मैगजीन में रखे जाने की अनुज्ञा दी जा सकती है, मैगजीन में तभी रखे जाएंगे जब उनमें से प्रत्येक को, ऐसे पदार्थ या स्वरूप का कोई मध्यवर्ती विभाजक लगाकर या उनके बीच ऐसा मध्यवर्ती स्थान छोड़कर, परस्पर पृथक् कर दिया जाए कि किसी वजह से विस्फोटक में लगने वाली आग या होने वाला विस्फोट किसी अन्य वर्णन के विस्फोटक तक न पहुंच सके : परंतु -  
(घ) 2 (नाइट्रेट मिश्रण), वर्ग 3 (नाइट्रो यौगिक) के विभिन्न विस्फोटक, वर्ग 6 प्रथम प्रभाग के अंतर्गत आने वाले सुरक्षा फलीते और वर्ग 6 प्रभाग 2 के अंतर्गत आनेवाले विस्फोटक प्रेरक फलीते, जिनमें कोई खुला लोहा या इस्पात नहीं है, एक दूसरे के साथ बिना किसी मध्यवर्ती विभाजक या स्थायन के रखे जा सकते हैं।  
(ङ) वर्ग 6 प्रभाग 3 के अंतर्गत आनेवाले विस्फोटक प्रेरक अलग रखे जाएंगे।  
(च) वर्ग 1 के अंतर्गत आने वाले बारूद को अलग रखा जाएगा।  
Two or more description of explosives which may be permitted to be kept in the magazine shall be kept only if they are separated from each other by an intervening partition of such substance or character, or by such intervening space, as will effectually prevent explosion or fire in the one communicating with the other; Provided that—  
(d) the various explosives of Class 2 (nitrate-mixture), Class 3 (nitro-compound), safety fuses belonging to Class 6 Division 1 and detonating fuses belonging to Class 6 Division 2 as do not contain any exposed iron or steel, may be kept with each other without any intervening partition or space ;  
(e) Detonators belonging to Class 6 Division 3 shall be kept separately.  
(f) Gun powder belonging to Class 1 shall be kept separately.
- वर्ग 3 (नाइट्रो यौगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात सिवाय अनुज्ञापन प्राधिकारी की विशेष मंजूरी के मैगजीन में नहीं रखा जाएगा।  
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of licensing authority.
- वर्ग 3 (नाइट्रो यौगिक) के विस्फोटकों को, उनके विनिर्माण की तारीख से एक वर्ष बीत जाने के पश्चात मैगजीन में तभी रखा जाएगा जब कि किसी विस्फोटक नियंत्रक ने इसके लिए विशेष मंजूरी दे दी हो।  
(i) जब ऐसी मंजूरी दे दी गई हो तो प्रत्येक निरीक्षण पर किसी विस्फोटक नियंत्रक से ऐसा लिखित प्रमाणपत्र अभिप्राप्त कर लिया जाए जिसमें दी गई मंजूरी के अंतर्गत आनेवाली अवधि दर्शित की गई हो और ऐसे प्रमाणपत्र के अनुज्ञापिधारी अपने पास रखेगा और मांग की जाने पर प्रस्तुत करेगा।  
(ii) जब कोई विस्फोटक मानक शुद्धता का न रह जाने के कारण या द्रवणीकरण या नाइट्रो स्लीअसरीन या द्रव नाइट्रो यौगिक के निकल जाने के कारण मैगजीन में भण्डारित किए जाने के उपयुक्त नहीं रह जाता है तो अनुज्ञापिधारी अपने ही खर्च पर ऐसे विस्फोटक के निपटारे के लिए ऐसे निदेशों का अनुपालन करेगा जो मुख्य नियंत्रक या विस्फोटक नियंत्रक जारी करें।  
Explosives of Class 3 (nitro compound) shall not be kept in the magazine after the expiration of one year from the date of their manufacture except with the special sanction of the Controller of Explosives.  
(i) When such sanction has been given, a written certificate showing the period covered by the sanction shall be obtained from the Controller of Explosives at each inspection, and shall be kept by the licensee and produced on demand.  
(ii) When an explosive owing to its being no longer of standard purity or owing to signs of liquefaction or of exuded nitro-glycerin or liquid nitro-glycerin or liquid nitrocompound is no longer fit for storage in the magazine or store house the licensee shall comply, at his own expense, with such directions as to its disposal as the Chief Controller or Controller of Explosives may issue.
- मैगजीन के भीतरी भाग या उसमें लगी बेंचो, शेल्फों और उसकी फिटिंग का इस प्रकार सन्निर्माण किया जाएगा या उन्हें इस प्रकार अंतरित या अवतरित किया जाएगा कि विस्फोटक का किसी लोहे या इस्पात के साथ संपर्क रोका जा सके। भीतरी भाग में लगी बेंचो, शेल्फों और फिटिंग घघासाध्य फ्रिट से मुक्त एवं साफ रखे जाएंगे तथा ऐसे विस्फोटक, जो जल से खतरनाक रूप में प्रभावित हो सकते हैं, इस बाबत सम्यक सावधानी बरती जाएगी कि वहां कोई जल मौजूद न रहे : परंतु किसी लोहे या इस्पात के खुले होने के विरुद्ध सावधानी से संबंधित इस शर्त का वह भाग ऐसे किसी भवन में बाध्यकर नहीं होगा जिसमें वर्ग 6 (गोला बारूद) के प्रथम के विस्फोटक से भिन्न कोई विस्फोटक रखा गया है।  
The interior of the magazine and the benches, shelves and fittings therein shall be so constructed or so lined or covered as to prevent the exposure of any iron or steel contact with the explosives. Such interior, benches, shelves and fittings shall so far as is reasonably practicable, be kept free from grit and shall otherwise be clean; and in the case of any explosives liable to be dangerously affected by water, due precautions shall be taken to exclude water there from;  
Provided that so much of this condition as relates to precautions against the exposure of any iron or steel shall not be obligatory in a building in which no explosive other than explosive of the 1st Division 6th (Ammunition) Class is kept.
- यदि तडित चालक का परीक्षण विस्फोटक नियंत्रक करता है तो अनुज्ञापिधारी ऐसे परीक्षण के लिए विहित फीस का सट्टाप करेगा यदि परीक्षण असमाधानकारी साबित होता है तो उतनी ही फीस अनुज्ञापिधारी द्वारा पश्चात्कर्त्त प्रत्येक परीक्षण के लिए तब तक दी जाती रहेगी जब तक कि परीक्षण अधिकारी तडित चालक को समाधानप्रद घोषित नहीं कर देता :  
परंतु किसी एक परीक्षण के लिए देय फीस किसी एक दिन के दौरान किसी चालक के किए गए सभी परीक्षणों के लिए प्रभार्य होगा :  
परंतु यह और कि यदि दो या अधिक तडित चालक एक ही मैगजीन से संबद्ध हैं तो ऐसे सभी चालकों के परीक्षण के लिए फीस ऐसी किसी फीस से अधिक नहीं होगी जो किसी एक तडित चालक के परीक्षण के लिए हर स्थिति में विहित की गई है।  
If the lighting conductor is tested by the Controller of Explosives, the licensee shall pay the fees prescribed for test. In the even of the test proving unsatisfactory, the same fees shall be payable by the licensee for each subsequent test until the lighting conductor is passed by the testing officer as satisfactory:  
Provided that the fees payable for a single test shall be charged for all tests made on a conductor during any one day :  
Provided further that where two or more lighting conductors are attached to one and the same magazine, the fee for the testing of all such conductors shall not exceed the fee prescribed in this condition for testing a single lighting conductor.
- उपयुक्त तथा जब रहित कार्यकरण वस्तु, उपयुक्त जूतों के प्रयोग द्वारा तथा तलाशी लेकर या अन्यथा अथवा ऐसे किन्हीं साधनों द्वारा इस बाबत सम्यक उपबंध किया जाएगा कि फैक्ट्री परिसर में अग्नि, दियासलाई अथवा ऐसी कोई वस्तुएं या पदार्थ, जिससे विस्फोट हो सकता है या आग लग सकती हो, किन्तु इस शर्त के कारण ऐसी संरचना, स्थिति या स्वरूप में किसी कृत्रिम बत्ती का प्रवेश वर्जित नहीं है जिससे आग लगने या विस्फोट होने का खतरा न हो :  
परंतु इस शर्त का वह भाग, जो लोहे या इस्पात के अपवर्जन को लागू होता है, ऐसे किसी भवन के संबंध में बाध्य कर नहीं होगा जिससे भिन्न कोई विस्फोटक नहीं रखा गया है।  
Due provisions shall be made, by the use of suitable working clothes without pockets, suitable shoes and by searching or otherwise or by such means, for preventing the introduction into danger area of the factory premises of fire, Lucifer matches or any substance or article likely to cause explosion or fire, but this condition shall not prevent the introduction of an artificial light of such construction, position or character as not to cause any danger of fire or explosion:  
Provided that so much of this condition as applies to the exclusion of iron or steel, shall not be obligatory in a building in which no explosive other than an explosive of the 1st Division of the 6th (Ammunition) Class is kept.

11. अनुज्ञापिधारी प्ररूप आर ई-3 और आर ई-4 या आर ई-5, जैसी लिखि हो, में सभी विस्फोटकों का अभिलेख और लेखा रखेगा और विस्फोटक नियम, 2008 के अधीन प्राधिकृत किसी भी अधिकारी के समक्ष उसके द्वारा ऐसा करने की मांग की जाने पर स्टॉक पुस्तक और अभिलेख प्रस्तुत करेगा। स्टॉक पुस्तक विहित प्रोफार्मा में पृष्ठ संख्यांकित होगी।  
The licensee shall keep records and accounts of all explosives in Forms RE-3 and RE-4 or RE-5, as the case may be, and exhibit the stock books and records to any of the officers authorised under the Explosives Rules, 2008 whenever such officer may call upon him to do so. The stock books in the prescribed proforma shall be page numbered.
12. परिवर्तन में कोई परिवर्तन या तबदीली अनुज्ञापन प्राधिकारी के पूर्वानुमोदन बिना नहीं की जाएगी और अनुज्ञापिधारी ऐसी किसी शर्त का अनुपालन करेगा जो इस निमित्त अनुज्ञापन प्राधिकारी विनिर्दिष्ट करे।  
No changes or alterations shall be carried out to the premises without prior approval of the licensing authority and the licensee shall comply with any condition that may be specified by the licensing authority in this behalf.
13. मैगजीन सभी समयों पर अच्छी मरम्मत की स्थिति में बनाई रखी जाएगी (या अच्छी हालत में बनाई रखी जाएगी)। यदि किसी कारणवश किसी विस्फोटक के भण्डारण के लिए मैगजीन अनुपयुक्त हो जाती है तो अनुज्ञापिधारी इस बात की सूचना अनुज्ञापन प्राधिकारी को तुरंत देगा।  
Magazine shall at all times be kept in state of good repair (or maintained in good condition). The licensee shall report to licensing authority forthwith, if the magazine becomes unfit for storage of any explosives for any reason whatsoever.  
मैगजीन का अनुज्ञापिधारी इन नियमों के नियम 24 के उप-नियम 3 के अनुसार त्रैमासिक विवरणी प्रस्तुत करेगा।  
The licensee of the magazine shall submit quarterly return as per sub-rules (3) and (4) of rule 24 of these rules.
14. यदि सुरक्षा दूरी का कोई अधिक्रमण होता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को आवश्यक सलाह और कार्यवाही के लिए तुरंत दी जाएगी।  
Any encroachment of the safety distance shall be immediately communicated to the licensing authority for necessary advice and action.
15. यदि कोई विस्फोटक विनष्ट हुआ अथवा अनुपयोगी जाया जाता है तो उसकी सूचना अनुज्ञापन प्राधिकारी को, सलाह प्राप्त करने के लिए, तुरंत दी जाएगी।  
The licensing authority shall be immediately informed for advice if any explosive is found deteriorated or unserviceable.
16. विस्फोटकों के पैकेटों के चूहे इस प्रकार लगाए जाएंगे कि कम से कम एक व्यक्ति भण्डार किए गए सभी पैकेजों की हालत की जांच करने और प्रत्येक पैकेज की विनिर्माण विधिस्थितियों को पढ़ने के लिए उनके बीच से होकर आ जा सके।  
The explosive packages shall be stocked in such a way so as to allow movement of at least one person to check the condition of all packages stored and to read the manufacture particulars of each package.  
तड़ित चालकों की भूमि के लिए प्रतिरोध यथासंभव न्यूनतम होगा और किसी भी दशा में 10 ओह्म से अधिक नहीं होगा।  
The resistance of the lightning conductor to earth shall be as low as possible and in no case be more than 10 ohms.
17. मैगजीन के चारों ओर 15 मीटर की दूरी के अंतर्गत कोई शुष्क घास या झाड़ी या ज्वलनशील सामग्री नहीं रहने दी जाएगी।  
A distance of 15 meters surrounding the magazine or store house shall be kept clear of dried grass or bush or flammable materials.
18. विस्फोटकों के प्रत्येक पैकेट की, जब उसे मैगजीन के भीतर लिया जा रहा हो, ठीक दशा जानने के लिए परीक्षा की जाएगी।  
Every package of explosive at the time of bringing inside the magazine shall be examined for its sound condition.
19. किसी मैगजीन / भण्डारगृह में किसी एक समय में चार व्यक्तियों से अधिक को नहीं रहने दिया जाएगा।  
Not more than 4 persons shall be allowed inside the magazine or store house at any one time.
20. विस्फोटकों के खाली पैकेजों को शीघ्रतरीयों वहां से हटा दिया जाएगा और नष्ट कर दिया जाएगा।  
Empty packages of the explosives shall be removed at the earliest and destroyed.
21. अनुज्ञापिधारी और कर्मचारीयों को परिसर के भीतर आपात्काल के दौरान की जाने वाली प्रक्रियाओं से अवगत होना चाहिए।  
The licensee and the employee shall be conversant with procedure to be taken during the emergency within the premises.
22. निरीक्षण या नमूना अधिकारी को सभी युक्तियुक्त समयों पर अनुज्ञापन परिसर में अवकाश रूप से पहुंचने दिया जाएगा और यह सुनिश्चित करने के लिए कि अधिनियम और इन नियमों के उपबंधों और सुरक्षा स्थितियों को सम्यक्तः अनुपालन किया जा रहा है, अधिकारी को प्रत्येक सुविधा प्रदान की जाएगी।  
Free access to the licensed premises shall be given at all reasonable times to any inspecting or sampling officer and every facility shall be afforded to the officer for ascertaining that the provisions of the Act and these rules and the safety conditions are duly observed.
23. यदि अनुज्ञापन प्राधिकारी या विस्फोटक नियंत्रक अनुज्ञापिधारी को अनुज्ञापन परिसरों या मशीनरी, टूल या उपकरण में ऐसी कोई मरम्मत या परिवर्तन या परिवर्तन करने या सिफारिशों को लागू करने को लिखित रूप में सूचित करता है जो परिसर के अंदर या बाहर या व्यक्तियों की सुरक्षा के लिए आवश्यक है, अनुज्ञापिधारी सिफारिशों को निष्पादित करेगा और विनिर्दिष्ट अवधि के भीतर अनुपालन रिपोर्ट ऐसे प्राधिकारी को देगा।  
If the licensing authority or a Controller of Explosives informs in writing, the holder of the licence to execute any repairs or to make any additions or alterations to the licensed premises or machinery, tools or apparatus or carry out recommendations, which are in the opinion of such authority may pose unacceptable risk and so necessary for the safety of either on-site or off-site of the premises or persons, the holder of the licence shall execute the recommendations and report compliance within the period specified by such authority.
24. अनुज्ञापिधारी मैगजीन में रखने और बिक्री के लिए प्राधिकृत विस्फोटक सूची में उल्लिखित अनुज्ञापन फैक्टरी या कंपनी से प्राधिकृत विस्फोटक / आतिशबाजी या सुरक्षा फलौते खरीदेगा।  
The licensee shall purchase authorised explosives/ fireworks or safety fuse as mentioned in the list authorised explosives from a licensed factory or company for possession and sale from the magazine.
25. निम्न से अधिक ध्वनि स्तर उत्पादित करने वाले आतिशबाजियों पटाखों की बिक्री और रखने के लिए -  
(क) जो फटने की जगह से चार मीटर की दूरी पर है, 125 डी.बी. (ए।) या 145 डी.बी. (सी) पी.के. प्रतिबंधित होंगे;  
(ख) श्रृंखला (जुड़े हुए पटाख) को गठन करने वाले व्यक्तिगत पटाखों के लिए उपर्युक्त उल्लिखित सीमा 5 लॉग<sub>10</sub>(N) डी.बी. (सी) पी.के. प्रतिबंधित होंगे;  
The possession and sale of fire-crackers generating noise level exceeding:  
a) 125 dB(A) or 145 dB(C)pk at 4 meters distance from the point of bursting shall be prohibited;  
b) For individual fire-cracker constituting the series (joined fire-crackers), the above mentioned limit be reduced by 5 log<sub>10</sub>(N) dB, where N = number of crackers joined together.
26. आग या विस्फोट द्वारा दुर्घटना या नुकसान पटाखों की कमी या चोरी, तुरंत पास के पुलिस थाने और अनुज्ञापन प्राधिकारी और अनुज्ञापन प्राधिकारी के स्थानीय कार्यालय को रिपोर्ट की जाएगी।  
Accidents by fire or explosion and losses, shortage or theft of explosives shall be immediately reported to the nearest police station and the licensing authority and local office of the licensing authority.

**अतिरिक्त शर्तें / Additional Conditions :**

1. अनुज्ञापिधारी विदेशी मूल के आतिशबाजी को न प्रदर्शित करेगा, न रखेगा और न ही उसकी बिक्री करेगा। The licensee shall not exhibit, possess and sell fireworks of foreign origin.

कुते उच मुख्य विस्फोटक नियंत्रक  
For Dy. Chief Controller of Explosives  
एरनाकुलम | Ernakulam

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

**Form DE-2**  
**(See rule 113 of the Explosives Rules, 2008)**  
(Distance Form to be attached to the licence)

Safety distances required to be kept clear around magazine for high explosives or fire works or factory licence number E/SE/KL/22/434(E136737) in form LE-3 granted to M/s.Delta Aggregates and Sand Pvt. Ltd., Chittar P.O., Kerala-689663 .

Type of Structure(s)	Safety distances meters	
	M	UM
<b>Inside Safety Distances(ISD)</b>		
1 Room or Workshop used in Connection with the Magazine	16	24
2 Any other Explosives Magazine or store House or Factory of the Applicant		
3 Magazine Office		
<b>Middle Safety Distances(MSD)</b>		
4 Magazine Keeper's or Chowkidar's Dwelling house		
5 Railway including Minerals and Private Railways		
6 Canal (in active use) or other navigable water		
7 Dock or Pier or Jetty		
8 Public Highway or Public Road		45
9 Private Road which is PRINCIPAL means of access to a Temple, Mosque, Church, Gurudwara or other places of worships, Hospital, College, School or Factory		
10 River Embankment or Sea Embankment or Public Well		
11 Reservoir or Bounded tank/rope way		
12 Windmillor or Solar panel for Power Generation		
<b>Outside Safety Distances(OSD)</b>		
13 Dwelling House		
14 Govt. and Public Building		
15 Temple, Mosque, Church or Gurudwara or other Places of Worships		
16 Shops, Market place, Public recreation and Sports Ground, College, School, Hospital, Theater, Cinema or other Building where the public are accustomed to assemble		
17 Factory		
18 Buildings or Works used for the Storage in Bulk of Petroleum, Sprit, gas, or other inflammable or hazardous substances		
19 Building or Works used for Storage and Manufacture of Explosives or of articles which contain Explosives		68
20 Aerodrome		
21 Furnace, Kiln or Chimney		
22 Quarry or mine pit head		
23 Power House or Electric Substation		
24 Wireless Station		
25 Warehouse or other Storage Building		
26 Any other Protected works		
<b>Overhead Electric lines</b>		
27 Electric Power over head Transmission Lines above 440V		68
28 Electric Power over head Transmission Lines upto 440V		15

The Date : 19/04/2024

For Dy. Chief Controller of Explosives  
Ernakulam

**Amendments :**

- Amendment in Drawings/Facilities/Premises dated : 10/06/2024
- Amendment in Drawings/Facilities/Premises dated : 18/10/2024
- Amendment of Quantity of Explosives/Monthly Purchase Limit dated : 18/10/2024

**Note :- This is system generated document does not require physical signature. Applicant may take printout for their records.**

Digitally signed by SUBODH KUMAR DIXIT  
Reason: Licence No. : E/SE/KL/22/434  
Location:Ernakulam [E136737]  
Date:18-10-2024 13:10:43 PM

## CONSENT TO OPERATE FROM KSPCB

**FILE NO : KSPCB/PT/ICO/10063486/2024**

**Date of issue : 23-04-2024**



**KERALA STATE POLLUTION CONTROL BOARD**

**CONSENT TO**

**OPERATE/AUTHORISATION/REGISTRATION**

**ISSUED UNDER**

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

**As per Application No. : 10063486**

**Dated : 20-03-2024**

**To**

**DELTA AGGREGATES AND SAND PVT LTD  
CHITTAR, CHITTAR P.O, PATHANAMTHITTA**

**Consent No. : KSPCB/PT/ICO/10063486/2024**

**Valid Upto : 21-04-2029**

## 1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit

1	<b>VALIDITY</b>	21-04-2029
2	Name and Address of the establishment	DELTA AGGREGATES AND SAND PVT LTD CHITTAR, CHITTAR P.O, PATHANAMTHITTA E-Mail : deltaaggregatesandsand@gmail.com Contact Number : 9946109711
3	Occupier Details	THOMAS PHILIP CHERUPULICHIYIL, VADASSERIKKARA, CHERUKULANJI, PATHANAMTHITTA E-Mail : deltaaggregatesandsand@gmail.com Contact Number : 9946109711
4	Local Body	CHITTAR GRAMA PANCHAYAT
5	Survey Number	946/2-P18, 946/2-P19, 946/2-P20, 946/2-P21, 946/2-P23
6	Village	Chittar
7	Taluk	Konni
8	District	PATHANAMTHITTA
9	Capital Investment(Rs in Lakhs)	123.0
10	Scale	Small
11	Category	RED
12	Annual fee(Rs)	26150.0
	Total Fee remitted(Rs)	169975.0
13	Activity	Rock Quarrying (Per Year)- 300000 Metric Tonnes Quarrying area- 9.7128 Hectares
14	Machinery details	MACHINERY DETAILS : (1) COMPRESSOR -3No.-300HP (2) EXCAVATOR -3No.-423HP (3) TIPPER-2No.-20HP

## GENERAL CONDITIONS

1. This Consent is issued based on the Judgement dated 25-10-21 of the Honourable Supreme Court of India in CA no. 6273 of 2021 and connected matters, order dated 14-12-2021 of the Honourable Supreme Court in MA no. 1904 of 2021, Judgement dated 10-11-2021 of the Honourable High Court of Kerala in WP(C) 2773 of 2021 and Judgement dated 10-12-2021 of the Honourable High Court of Kerala in WP(C) 27178 of 2021.
2. This Consent is issued subject to any order passed by the Honourable Supreme Court, Honourable National Green Tribunal, Honourable High Court of Kerala in connected matters.
3. This consent is issued based on the information furnished in the application, affidavit and other particulars produced by the applicant, and is liable to be revoked if the information is found to be false at any stage.
4. The consent unless withdrawn earlier and subject to condition no. 1 & 2 shall be valid up to 21/04/2029 . For renewal of consent, application may be submitted via online 2 months in advance of expiry of validity date.
5. Quarrying shall be done only within the area marked in the approved location plan attached. No change, deviation or alteration that may affect the environment, extent and location of quarry shall be made. Any change in particulars furnished in the application/the identity of the occupier/ authorized agent is to be intimated to the Board forthwith.
6. A minimum distance of 50 m shall be kept from the boundary of quarry area to residential buildings, places of worship, public buildings, public road having vehicular traffic, river or lake, railway line and bridges.
7. The applicant shall put up sign boards near the main entrance of the plant to display consent number & validity.
8. Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
9. Fencing shall be provided around the boundary of quarry and shall be maintained properly.
10. After completion of excavation at any site, the abandoned quarry shall be utilized for rain water harvesting with protective barriers/ any other suitable approved purpose or may be reclaimed as per specification.
11. Quarrying activity shall not be carried out during night hours.
12. PM<sub>10</sub> in ambient air at the boundary of quarry shall not exceed 100 micrograms per cubic meter and PM<sub>2.5</sub> in ambient air at the boundary shall not exceed 60 micrograms per cubic meter .
13. The Sound level (Leq) at 1m outside the boundary of the site shall not exceed the ambient noise standards applicable to the adjoining areas.
14. The consent issued from the Board shall be valid only for a period when all other statutory or necessary clearances from other concerned authorities are valid.
15. The applicant shall comply with the instructions that the Board may issue from time to time regarding

the prevention and control of Air, Water, Land and Sound Pollution.

16. Regular wetting of the roads in the premises of the quarry and approach roads near the quarry shall be done for avoiding excessive dust emission within and outside the boundary of the unit.
17. Products shall be transported with proper cover and/or after wetting to prevent spreading of dust.
18. Once the lease/permit from the mining and geology is obtained, copy of the same shall be submitted to the office.

Digitally signed by PRAVITHAMOL  
Date: 2024.04.23 11:43:33 IST

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER

**To**

M/s DELTA AGGREGATES AND SAND PVT LTD  
CHITTAR, CHITTAR P.O, PATHANAMTHITTA  
E-Mail : deltaaggregatesandsand@gmail.com  
Contact Number : 9946109711 9946109711

1. This digitally signed document is legally valid as per the Information Technology Act 2000
2. For verifying this document please go to [www.keralapcbonline.com](http://www.keralapcbonline.com) and search using Certificate Number/name of the unit/Application Number in "Certificate Verification" link in the home page of the Board's Phoenix website.

PANCHAYAT LICENSE



ചിറ്റാർ ഗ്രാമപഞ്ചായത്തിൽ നിന്നും  
 1994ലെ കേരള പഞ്ചായത്ത് രാജ് ആക്ട് (1994ലെ 13) 232, 233, 234, 254 എന്നീ വകുപ്പുകളും  
 അതേ തുടർനാളെ ചട്ടങ്ങളും അനുസരിച്ച്  
 ഫാക്ടറികൾ, വ്യാപാരങ്ങൾ, സംരംഭങ്ങൾ, മറ്റു സേവനങ്ങൾ എന്നിവയ്ക്കായി നൽകുന്ന

ലൈസൻസ്

നമ്പർ : 0001/1298/2024






തീയതി : 25.06.2024

ലൈസൻസിയുടെ പേരും കേന്ദ്രീകൃതസ്ഥലവും	തോമസ് ഫിലിപ്പ്, മാനേജിംഗ് ഡയറക്ടർ,ഡെൽറ്റ അഗ്രിഗേറ്റിംഗ് & സാൻഡ് പ്രൈവറ്റ് ലിമിറ്റഡ്	
സ്ഥാപനത്തിന്റെ പേരും സ്ഥലനാമവും	ഡെൽറ്റ അഗ്രിഗേറ്റിംഗ് & സാൻഡ് പ്രൈവറ്റ് ലിമിറ്റഡ് ,946/2-P-18,946/2- P19,946/2-P20,946/2-P21,946/2-P23- VILLAGE OFFICE CHITTAR	
ലൈസൻസ് നൽകിയിട്ടുള്ള പ്രവർത്തനങ്ങൾ	കരിങ്കല്ല് പാറുടെ നടത്തുന്നതിന്	
കെട്ടിടത്തിന്റെ നമ്പരം വാർഡ് നമ്പരം	559/4	
ലൈസൻസ് കാലാവധി	08-05-2024 മുതൽ 31-03-2029 വരെ	
ഈടാക്കിയ ലൈസൻസ് ഫീസ്	₹50000	സെീത് നം: 1240100383 തീയതി: 08-05-2024
തൊഴിൽക്കരം	₹6250 + ₹6250	സെീത് നം: 124100383 തീയതി: 08-05-2024
ലൈസൻസ് അനുവദിക്കുന്നതിനായി ഹാജരാക്കിയ നിരീക്ഷണപത്രങ്ങളുടെ വിശദാംശങ്ങൾ (നമ്പർ, തീയതി, കാലാവധി, നൽകിയ അധികാരസഹായം)	MOTOR FEE-15000,(1240100384),INSTILLATION FEE-200 (1240100385) CONSENT LETTER OF LAND OWNER, LAND TAX,POSSESSION CERTIFICATE (NO.84153114 DTD.15.03.2024) EXPLOSIVE LICENSE,(VALID UP TO 31.03.2028) NOC FIRE AND RESCUE,BLASTMANLICENSE,LETTER OF INDENT,SURVEY MAP,ENVIRONMENT CLEARANCE CERTIFICATE,GO-MINING AND GEOLOGY VALIDITY OF EC (DMG/126/2024-M2 DTD.19.03.2024). KSPCB CERTIFICATE (NO.PT/ICO/10063486/2024,VALID UP TO 21.04.2029,GO-INDUSTRY DEPARTMENT,CIRCULAR (NO.PAN/6080/19/C4(DP) DTD.11.11.2019) NATIONAL HIGH WAYS AUTHORITY LETTER, KERALA GAZETTE EXTRA ORDINARY NO.3/2024 DTD.10.01.2024	

സെക്രട്ടറി  
 ചിറ്റാർ ഗ്രാമപഞ്ചായത്ത്



## MONITORING REPORTS

 		<b>GLOBAL ENVIRONMENT &amp; MINING SERVICES</b> (Consulting Engineers, Mine designers, Geologist & Surveyors) 3 <sup>rd</sup> Main Road, Basaveswara Badavane, <b>HOSPETE – 583201, Dist., Vijayanagara (Karnataka)</b> Ph : +918394 355369 e-mail : gems_hpt@yahoo.com Website : www.globalmining.in												
		GEMS-LD/TF/11/01 Report Issue Date: 08.09.2025												
<b>ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA</b>														
Name of the Industry		'Granite Building Stone Quarry of M/s Delta Aggregates & Sands Private Limited' Extent: 9.7128 Ha. Sy. Nos. 946/2 pt Chittar Village, Rammi Taluk, Pathanamthitta District, Kerala State.												
Sample Type		: Ambient Air Quality Monitoring												
Particulars of Sample Collected		: Respirable Dust Sampler, FPS Sampler & CO Analyzer												
Month		: September - 2025												
Location		: Core zone area												
Monitoring station code		: A1												
Duration of Monitoring		: 24 Hour												
Report Number		: ULR-TC161802500001042F												
<b>RESULTS</b>														
Parameters			PM <sub>10</sub> [µg/m <sup>3</sup> ]	PM <sub>2.5</sub> [µg/m <sup>3</sup> ]	SO <sub>2</sub> [µg/m <sup>3</sup> ]	NO <sub>2</sub> [µg/m <sup>3</sup> ]	CO (1 Hour) (mg/m <sup>3</sup> )							
Reference method			IS : 5182:2006 (Part 23) (RF- 2017)	IS : 5182(Part 24): 2019	IS : 5182: 2001 (Part 2) (RF 2017)	IS : 5182: (Part 6) 2006 (RF 2017)	IS : 5182: (Part 10) 1999 (RF 2006)							
Date of Sampling	Date of sample received	Sample code	Result	STD	Result	STD	Result	STD	Result	STD	Result	STD		
03.09.2025	05.09.2025	407	54.9	100	20.8	60	7.5	80	10.8	80	ND	4.0		
<b>Note:</b> CO - GEMS/SOP/86/as per CO analyzer Manual (1 hour) ND - Not Detected (<0.001)				<table border="1"> <tr> <td>INFERENCE</td> <td>As per NAAQMS Standards 2009, Report Status: - Measured Values for the above parameters are within the limit.</td> </tr> </table>									INFERENCE	As per NAAQMS Standards 2009, Report Status: - Measured Values for the above parameters are within the limit.
INFERENCE	As per NAAQMS Standards 2009, Report Status: - Measured Values for the above parameters are within the limit.													
 <b>Analyzed By</b> Anusha M Chemist				 <b>Authorized Signatory</b> K. Ramakrishna Reddy Technical Manager										
														
<b>Note:</b> 1. The result listed refers only to the tested samples & applicable parameters. Non-compliance of products is neither inferred nor implied. 2. Water Samples will be analysed after 15 days, Maximum 3 Months. Filter papers & Tinsels after analysis Discard. 3. This report is not to be reproduced wholly or in part & cannot be used in evidence in the Court of law & should not be used for advertising works without special permission in writing. 4. Total liability of our Laboratory is limited to the fee cost amount. Any dispute arising out of this report is subject to Hospete jurisdiction only. 5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory. 6. Recognized by Government of Karnataka, Mahanagara, Govt for DGPS survey.														



### GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems\_hpt@yahoo.com

Website : www.globalmining.in

GEMS-LD/TF/11/01  
Report Issue Date: 08.09.2025

### ANALYSIS REPORT OF AMBIENT AIR QUALITY DATA

Name of the Industry : 'Granite Building Stone Quarry of M/s Delta Aggregates & Sands Private Limited'  
 : Extent: 9.7128 Ha.  
 : Sy. Nos. 946/2 pt  
 : Chittar Village, Ranni Taluk,  
 : Pathanamthitta District, Kerala State.

Sample Type : Ambient Air Quality Monitoring  
 Particulars of Sample Collected : Respirable Dust Sampler, FPS Sampler & CO Analyser  
 Month : September 2025  
 Location : Chittar  
 Monitoring station code : A2  
 Duration of Monitoring : 24 Hour  
 Report Number : ULR-TC161802500001043F

### RESULTS

Parameters			PM <sub>10</sub> [µg/m <sup>3</sup> ]		PM <sub>2.5</sub> [µg/m <sup>3</sup> ]		SO <sub>2</sub> [µg/m <sup>3</sup> ]		NO <sub>2</sub> [µg/m <sup>3</sup> ]		CO (1 Hour) (mg/ m <sup>3</sup> )	
Reference method			IS : 5182:2006 (Part 23) (RF- 2017)		IS : 5182(Part 24): 2019		IS : 5182: 2001 (Part 2) (RF 2017)		IS : 5182: (Part 6) 2006 (RF 2017)		IS : 5182: (Part 10) 1999 (RF 2006)	
Date of Sampling	Date of sample received	Sample code	Result	STD	Result	STD	Result	STD	Result	STD	Result	STD
04.09.2025	05.09.2025	408	47.8	100	16.9	60	9.2	80	11.5	80	ND	4.0

#### Note:

CO – GEMS/SOP/86/as per CO analyzer Manual (1 hour)

ND - Not Detected (<0.001)

INFERENCE	As per NAAQMS Standards 2009, Report Status: - Measured Values for the above parameters are within the limit.
-----------	--

Analyzed By  
Anusha M  
Chemist

Authorized Signatory  
K. Ramakrishna Reddy  
Technical Manager



#### Note:

- The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Miscela 3 Months, Filter papers & Thinlens after analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bangalore jurisdiction only.
- Recognized by Ministry of Environment, Forest and Climate Change for Laboratory.
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey.



## GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems\_hpt@yahoo.com

Website : www.globalmining.in

GEMS-LD/TF/08/01  
Report Issue Date: 08.09.2025

### TEST REPORT OF AMBIENT NOISE LEVEL DATA

1	Name of the Industry	:	'Granite Building Stone Quarry of M/s Delta Aggregates & Sands Private Limited' Extent: 9.7128 Ha. Sy. Nos. 946/2 pt Chittar Village, Rammi Taluk, Pathanamthitta District, Kerala State.
2	Sample Description	:	Ambient Noise Level monitoring
3	Sample Collected By	:	GLOBAL Environment & Mining Services
4	Particulars of Sample Collected	:	Noise Level Meter (Lutron SL-4023SD)
5	Month	:	September - 2025
6	Duration of the Monitoring	:	24 Hours Sampling
7	Report No	:	ULR-TC161802500001044F

### Result

Date	03.09.2025	04.09.2025
Area	Industrial	Commercial
Name of the Location	Core zone	Chittar
Sample code	548	549
Time (hrs)	N1	N2
6.00	36.5	35.2
7.00	42.2	35.6
8.00	45.3	37.9
9.00	47.5	39.2
10.00	51.7	39.5
11.00	50.4	40.9
12.00	51.6	51.5
13.00	53.9	52.9
14.00	55.2	52.6
15.00	52.5	55.3
16.00	53.2	52.2
17.00	51.9	44.9
18.00	49.7	48.5
19.00	45.2	49.3
20.00	33.9	42.4
21.00	35.7	43.9
22.00	37.9	42.1
23.00	34.9	39.5
00.00	31.7	38.4
01.00	30.9	37.6
02.00	28.5	32.7
03.00	29.7	32.8
04.00	30.3	35.6
05.00	33.5	36.8



#### Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither implied nor implied.
2. Water Samples will be destroyed after 30Days, Minerals 3 Months, Filter papers & Thinblies after analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to the specific jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey.



### GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagar (Karnataka)

Ph : +918394 355369

e-mail : gems\_hpt@yahoo.com

Website : www.globalmining.in

Name of the location	Core zone	Chittar
L max	55.2	55.3
L min	28.5	32.7
L 10	30.48	35.32
L 50	43.7	40.2
L 90	52.99	52.48
Ld	50.69	49.34
Ln	33.75	37.72
Ldn	49.2	48.8
Leq	48.7	47.48

All Measured Values are in Db(A)

#### NOISE: (AMBIENT STANDARDS)

Area Code	Category of Area	Limit in dB(A) Leq	
		Day Time	Nighttime
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Area	50	40

Note	Day time shall mean from 6:00 am and 10:00 pm
	Night time shall mean from in between 10:00 pm and 6:00 am
	Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority
	Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.
	*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which relatable to human being
	A "decibel" is a unit in which noise is measured
	"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq: It is energy mean of the noise level over a specified period.

Authorized Signatory  
K. Ramakrishna Reddy  
Technical Manager



#### Note:

1. The result listed refers only to the tested samples & applicable parameters. Endorsement of products is neither inferred nor implied.
2. Water Samples will be destroyed after 15 Days, Minerals 5 Months, Filter papers & Filterables after analysis Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the service account. Any dispute arising out of this report is subject to the specific jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
6. Recognized by Government of Karnataka, Maharashtra, Govt for DGPS survey



## GLOBAL ENVIRONMENT & MINING SERVICES

(Consulting Engineers, Mine designers, Geologist & Surveyors)

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems\_hpt@yahoo.com

Website : www.globalmining.in

GEMS-LD/TF/23/01  
Report Issue Date: 08.09.2025

### Analysis Report of Water Quality Data

- |    |                                 |   |
|----|---------------------------------|---|
| 1  | Name of the Industry            | 'Granite Building Stone Quarry of M/s Delta Aggregates & Sands Private Limited'<br>Extent: 9.7128 Ha.<br>Sy. Nos. 946/2 pt<br>Chittar Village, Ranni Taluk,<br>Pathanamthitta District, Kerala State. |
| 2  | Customer Reference              | -   |
| 3  | Sample Collected by             | : GLOBAL Environment & Mining Services  |
| 4  | Particulars of sample collected | Grab Sampling   |
| 5  | Sampling procedure              | GEMS-LD/SOP/32  |
| 6  | Sample Type                     | <b>Water Samples (Ground Water)</b>   |
| 7  | Date of sampling                | : 03.09.2025  |
| 8  | Sample Received                 | : 04.09.2025  |
| 9  | Date of Analysis                | : 06.02.2025  |
| 10 | Report Number                   | : ULR-TC161802500001045F  |

#### Results

Sl. No.	Parameters	Protocol	Unit	Results		Standard as per IS : 10500 : 2012	
				Sample Code	Desirable limits	Permissible limits	
				737 GW			
1.	Temperature	Thermometer	°C	25.9	-	-	
2.	pH	APHA 23 <sup>rd</sup> Edition 2017 4500 H+ B (Pg No. 4-95 to 4-99)	-	7.0	6.5-8.5	NR	
3.	Conductivity	APHA 23 <sup>rd</sup> Edition 2017 2510 A (Pg No. 2-56 to 2-54)	µS/cm	289	-	-	
4.	Total Dissolved Solids	APHA 23 <sup>rd</sup> Edition 2017 2540 C (Pg No. 2-69 to 2-70)	mg/L	158	500	2000	
5.	Turbidity (NTU)	APHA 23 <sup>rd</sup> Edition 2017 2130 B (Pg No. 2-13 to 2-15)	NTU	0.1	1	5	
6.	Phosphorus P	APHA 23 <sup>rd</sup> Edition 2017 4500-D (Pg No. 4-163 to 4-164)	mg/L	<0.01	-	-	
7.	Sodium as Na	APHA 23 <sup>rd</sup> Edition 2017 Na 3500 B (Pg No. 3-99 to 3-100)	mg/L	9.3	-	-	
8.	Potassium as K	APHA 23 <sup>rd</sup> Edition 2017 K 3500 B (Pg No. 3-49 to 3-90)	mg/L	0.65	-	-	
9.	Calcium as Ca	APHA 23 <sup>rd</sup> Edition 2017 3500 Ca B (Pg No. 3-69 to 3-70)	mg/L	49	75	200	
10.	Magnesium as Mg	APHA 23 <sup>rd</sup> Edition 2017 3500 B Mg by calculation (Pg No. 3-86)	mg/L	7.1	30	100	
11.	Total Hardness as CaCO <sub>3</sub>	APHA 23 <sup>rd</sup> Edition 2017 2340 C (Pg No. 2-48 to 2-50)	mg/L	92	200	600	
12.	Chloride as Cl	APHA 23 <sup>rd</sup> Edition 2017 4500 Cl- (Pg No. 4-75 to 4-76)	mg/L	22.8	250	1000	
13.	Sulphate as SO <sub>4</sub>	APHA 23 <sup>rd</sup> Edition 2017 4500 -SO <sub>4</sub> <sup>2-</sup> B (Pg No. 4-199 to 4-200)	mg/L	<1.0	200	400	
14.	Fluoride as F	APHA 23 <sup>rd</sup> Edition 2017 4500 F-D (Pg No. 4-90 to 4-91)	mg/L	<0.1	1.0	1.5	
15.	Nitrate Nitrogen as NO <sub>3</sub>	APHA 23 <sup>rd</sup> Edition - 4500 NO <sub>3</sub> - E (Pg No. 4-131 to 4-132)	mg/L	<1.0	45	NR	
16.	Total Alkalinity as CaCO <sub>3</sub>	APHA 23 <sup>rd</sup> Edition 2017 2320 B (Pg No. 2-37 to 2-39)	mg/L	59	200	600	

#### Note:

- The result listed refers only to the tested samples & applicable parameters. Undesiredness of products is neither inferred nor implied.
- Water Samples will be destroyed after 15Days, Minerals 3 Months, Other papers & finished after analysis Discard.
- This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
- Total liability of our laboratory is limited to the fee received. Any dispute arising out of this report is subject to Hospete jurisdiction only.
- Recognized by Ministry of Environment, Forest and Climate Change for Laboratory
- Recognized by Government of Karnataka, Maharashtra, Goa for DGPS survey



**GLOBAL ENVIRONMENT & MINING SERVICES**

(Consulting Engineers, Mine designers, Geologist &amp; Surveyors)

3<sup>rd</sup> Main Road, Basaveswara Badavane,

HOSPETE – 583201, Dist., Vijayanagara (Karnataka)

Ph : +918394 355369

e-mail : gems\_hpt@yahoo.com

Website : www.globalmining.in

ULR-TC161802500001045F

17.	Total Iron as Fe	APHA 23 <sup>rd</sup> Edition 2017 3500 B Fe B. (Pg No. 3-80 to 3.82)	mg/L	0.17	0.30	NR
18.	Nickel as Ni	APHA 23 <sup>rd</sup> Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.01	0.02	NR
19.	Manganese as Mn	APHA 23 <sup>rd</sup> Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.1	0.30	0.30
20.	Copper as Cu	APHA 23 <sup>rd</sup> Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.05	0.05	1.50
21.	Zinc as Zn	APHA 23 <sup>rd</sup> Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.1	5	15
22.	Lead as Pb	APHA 23 <sup>rd</sup> Edition 3111 B. Direct Air Acetylene Flame method	mg/L	<0.01	0.01	NR
23.	Total Coliform	IS 15185:2016	MPN/100ml	Ab	Shall not be detectable in any 100ml sample	-
24.	E- Coli	IS 15185:2016	MPN/100ml	Ab	Shall not be detectable in any 100ml sample	-

Note: GW: Chittar

NR: No Relaxation. Ab: Absent.

**INFERENCE**

As per Standards IS: 10500:2012

Report Status: - Measured Values for the above parameters are within the limit.

Analyzed By  
Anusha M  
ChemistAuthorized Signatory  
K. Ramakrishna Reddy  
Technical Manager**Note:**

1. The result listed refers only to the tested samples & applicable parameters. Underestimation of products is neither inferred nor implied.
2. Waste Samples will be destroyed after 15 days, Minerals 3 Months, Filter papers & Disks after analysis. Discard.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not use any advertising media without special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Hospete jurisdiction only.
5. Recognized by Ministry of Environment, Forest and Climate Change like Laboratory
6. Recognized by Government of Karnataka, Mahanagara, Gov for DGPS survey

EC BOARD



**BOUNDARY PILLAR & FENCING**



SIGN BOARDS





MAGAZINE



Chittar - Angamoozhy Rd, Chittar-seethathodu, Kerala 689663, India 🇮🇳

Latitude  
9.33339586°

Longitude  
76.94574236°


Local 02:47:31 PM  
GMT 09:17:31 AM

Altitude 89 meters  
Saturday, 06.09.2025





## EMC MEETING MINUTES





## നീരുലനങ്ങൾ.

1. Pending ഉള്ള Containment നിർമ്മാണം ഉടൻ പൂർത്തിയാക്കുക, site ന്റെ ആവൃദ്ധിമേന്മയിൽ കൂടാതെ മരണങ്ങൾ വരുന്നത്.
2. Compensatory Afforestation ബാക്കിത്തുണ്ട് ഉടൻ പൂർത്തിയാക്കുക.
3. Drainage കണ്ടുണ്ടെങ്കിൽ Pending അരിട്ടുള്ള ജോലികൾ ഉടൻ പൂർത്തിയാക്കുക.
4. ബാക്കിത്തുണ്ട് ബോർഡുകൾ ഉടൻ സ്ഥാപിക്കുക.
5. Overburden Protected Wall നിർമ്മാണം ഉടൻ പൂർത്തിയാക്കുക.
6. തൊഴിലാളികൾക്കിടയിൽ മൃഗങ്ങൾ ബോധവൽക്കരണം നടത്തുക.
7. 6 മാസം കൂടി വരുമ്പോൾ നടത്തി വന്നിരുന്ന EMC ടിപ്പിംഗുകൾ, കൂടാതെ കമ്പ്യൂട്ടറിലെ പേപ്പർത്തരങ്ങൾക്കിടയിൽ 3 മാസത്തിലൊരിക്കൽ നടത്തേണ്ട നീരുലനിച്ചു.

അപരങ്ങൾ മിസ്റ്റർ വകുപ്പ് ഒപ്പം വെച്ചു  
 അടയ്ക്കുന്ന ടിപ്പിംഗ് 15-09-2025 തിങ്കളാഴ്ച നടത്തിയിട്ടു  
 നീരുലനിച്ചു.

Agenda of 4<sup>th</sup> BMC meeting.

കുറേപ്പം.

- 1. ഉത്തരജ്ഞാപനം വരുത്തിയിരിക്കുന്നു.
- 2. മിഷനറികളുടെ സമീപത്തു കോട് വെട്ടിക്കൊണ്ട്.
- 3. കോളർ റെഗു വാങ്ങൽ.
- 4. റോഡ് പ്ലാനിംഗ്.
- 5. സുരക്ഷാ ഉപകരണങ്ങളുടെ വിതരണം.
- 6. ട്രാഫിക് ലൈറ്റുകൾ.

ഉപയോക്താക്കൾ.

- 1. Mathew. C. Samuel - Quarry manager - *[Signature]*
- 2. Sreemivasa - Mines Manager - *[Signature]*
- 3. Samuel Mathew - Mines Man - *[Signature]*
- 4. A. Basheer - BMC Member - *[Signature]*
- 5. Abhijith. A - Environmental Manager - *[Signature]*

Minutes of 4<sup>th</sup> EMC Meeting.

15.9.25

ജിദ്ദാർ യോഗത്തിന്റെ 4-ാമത് EMC മീറ്റിംഗ് ഈ തിരിഞ്ഞത് യോഗം ഡയറക്ടറുടെ അദ്ധ്യക്ഷതയിൽ കോളിംഗ് 4 മണിക്ക് ജിദ്ദാർ യോഗത്തിൽ ആരംഭിച്ചു. പ്രധാന സമ്മേളനം (ശ്രീ. ടി. എസ്. എ. സാമുവൽ അദ്ധ്യക്ഷത വഹിച്ചു. കഴിഞ്ഞ ഭവനത്തിൽ ചേർന്നു കഴിഞ്ഞ തിരുവാ നാടകങ്ങൾ അപേക്ഷിച്ച്, ഇടൻ ചർച്ചയും നടന്നു.

കഴിഞ്ഞ ഭവനത്തിൽ തിരുവാ നാടകങ്ങൾ അപേക്ഷിച്ച്.

1. മീറ്റിംഗിന്റെ വിഷയത്തിനായി കൂടുതൽ സാധനങ്ങൾ അയയ്ക്കുക വാങ്ങി.
2. കമ്പ്യൂട്ടർ ഹാർഡ്‌വെയർ Compensatory afforestation ചർച്ചകൾ ചെയ്തു.
3. Drafting-ന്റെ ചർച്ചകൾ കൂടുതൽ ചർച്ചകൾ ചെയ്തു.
4. Mandate-യ്ക്ക് അനുസരിച്ച് നടപ്പിലാക്കുക കൂടുതൽ അപേക്ഷകൾ അയയ്ക്കുക ചേർന്നു നിർമ്മാണം ആരംഭിച്ചു.
5. Overhead protection wall നിർമ്മിച്ചു.
6. തൊഴിലാളികൾക്കിടയിൽ പ്രകാരമുള്ള ബോധവൽക്കരണം നടന്നു.

ചർച്ച.

അദ്ധ്യക്ഷത വഹിച്ചതിൽ, മെമ്പർമാരുടെ വഴി ചർച്ചകൾ കൂടുതൽ, കോളിംഗ് യോഗം യോഗം വൃത്തിയാക്കൽ, സുരക്ഷിത ഉപകരണങ്ങളുടെ ഉപയോഗം, മെമ്പർമാർ വിവേകിച്ച് ചേർന്നു നടന്നു. അദ്ധ്യക്ഷൻ ചർച്ച നടന്നു. അദ്ധ്യക്ഷൻ ചർച്ച നടന്നു. അദ്ധ്യക്ഷൻ ചർച്ച നടന്നു. അദ്ധ്യക്ഷൻ ചർച്ച നടന്നു. അദ്ധ്യക്ഷൻ ചർച്ച നടന്നു.

## കീഴോന്നങ്ങൾ

1. Road Cleaning നടത്തുക.
2. അരിഭരണ കമ്മിറ്റി അധ്യക്ഷൻ ഉടൻ വരയിടുക.
3. ഗവൺമെന്റ് വിവരവിപ്ലവം നടത്തുക.
4. വിദ്യാഭ്യാസ വകുപ്പിന് കമ്മിറ്റി നിയമിക്കുക.
5. ഗവൺമെന്റ് വകുപ്പിന് നടത്തുക.
6. ഗവൺമെന്റ് കമ്മിറ്റി നിയമിക്കുക.
7. ഭരണ സൗകര്യ ഉപകരണങ്ങൾക്ക് ചെലവു ചെലവു വെക്കുക.

കൂടുതൽ CSR ചെലവിൽ നിന്നും 10.9.25ന്  
 ചെലവു ചെയ്യാൻ കമ്മിറ്റി നിയമിക്കുക. 75000/- രൂപ  
 CSR Costൽ ഉപയോഗിക്കാൻ കമ്മിറ്റി നിയമിക്കുക.

അവസരം കിട്ടിയിട്ടില്ലെന്ന് വെച്ച് കമ്മിറ്റി വെച്ച് വെക്കുക.  
 കമ്മിറ്റി 5 അംഗം നിയമിക്കുക. കൂടുതൽ കമ്മിറ്റി  
 16.12.25-ന് നടത്താൻ നിയമിക്കുക.

TOPSOIL & OB DUMP



**BLASTING SHELTER**



CER ACTIVITIES


Phone : 04735-255325

**GOVT. HIGHER SECONDARY SCHOOL CHITTAR**  
**PATHANAMTHITTA - 689663**  
School code – 03002, Email : principalghsschittar@gmail.com

19/09/25

**RECEIPT**

*Received with thanks from DELTA GROUP, Chittar, the sum of Rupees 75000/-  
(Rupees Seventy five Thousand only) for the installation of CCTV in GHSS Chittar  
(Higher Secondary section).*



Principal

ANIL M. GEORGE .  
PSN: 493589  
PRINCIPAL  
GOVT. HSS CHITTAR (3002)  
PATHANAMTHITTA

**CITY UNION BANK**

Branch:107,Thiruvananthapuram Branch

38/553/5 and 6, I Floor,Power House Road,Thiruvananthapuram,695036 Ph:9387770152 IFSC:CIUB0000107

**STATEMENT OF ACCOUNT**

Ref No : 009299031020251502

Visit [www.cityunionbank.com](http://www.cityunionbank.com)

Dial your bank 044-71225000

Account No : 107109000171717  
 Account Type : CURRENT ACCOUNT - REGULAR  
 Account Type : INR  
 Customer No : 2613764

Statement Dt : 01-APR-2025 to 30-SEP-2025  
 Date of Opening : 30-APR-2012  
 Mode Of Operation : AUTHSGANDANY  
 CKYC No :

DELTA AGGREGATES AND SAND PVT LTD

THOMAS PHILIP/

NO 423 E, CHITTAR PO  
 PATHANAMTHITTA  
 KERALA PATHANAMTHITTA - 689563

Opening Balance as on 09-SEP-2025

1,13,162.16

Date	Particulars	Chq No	Debit	Credit	Balance
09-SEP-2025	BY NEFT TRF DELTA AGGREGATES AX0IC25214975355			1,25,000.00	2,38,162.16
10-SEP-2025	TO CHQ TRANSFER NEFT UTR CIUBH0253098904: CNR09002319:THEMANAGERT 00107	1599	95,000.00		1,43,162.16
10-SEP-2025	TO CHQ TRANSFER NEFT UTR CIUBH02533021170: KSBK0001174 GOVT G H S 00107	1600	75,000.00		68,162.16
<b>Total</b>			1,70,000.00	1,25,000.00	
<b>Total Debits</b>			2		
<b>Total Credits</b>				1	

END OF REPORT



Chittar Grama Panchayat

Chittar  
Pathanamthitta Dt-Kerala State 689663  
0473-5255225  
GST: 32AAALC1953A1ZY

## RECEIPT

No : R-G030506-25001209

Date: 25-07-2025

FileNo & Date: 3259871-2025, 18-07-2025

Payer  
DELTA



Remitter

Sl.No	Item	Head Of Account	Financial Year	Building Details	Period	Total
1	CSR Fund	3208095	2025-2026		Full Year	500000.00
Total Five Lakh Only						500000.00

Mode of Payment : DIRECTLY\_CREDIT\_TO\_BANK

Bank Transaction ID / UTR : 1

Counter Number: 0

Name of Employee: GEETHAKUMARI AMMA P G, Senior Clerk

Remarks :

Sd  
Secretary  
Chittar Grama Panchayat  
Office

Note: This receipt is computer generated, and no signature is required.

Local Self Government Department, Govt of Kerala | [www.karnat.isgkerala.gov.in](http://www.karnat.isgkerala.gov.in)



## MEDICAL REPORTS

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikkara,  
Talak Hospital Kadakkal

Rajee Babar Seth / 25/M Date: 10/10/2017

O/E

BP - 120/80 mmHg

PR - 72/min.

CVS - S<sub>1</sub>S<sub>2</sub> heard.

RS - NUBS, Chest clear

GIT - Soft, Nontender.

CNS - NAD.

Imp: Medically fit for work.



**SAR MEDICARE DOCTOR'S CLINIC**

CHITTAR, PATHANAMTHITTA

8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikkara,  
Talak Hospital Kadakkal

Sanjay Nayal / 25/M Date: 10/10/2017

O/E

BP - 100/80 mmHg

PR - 72/min.

CVS - S<sub>1</sub>S<sub>2</sub> heard.

RS - NUBS.

GIT - Soft, Nontender.

CNS - NAD.

Imp: Medically fit for work.



**SAR MEDICARE DOCTOR'S CLINIC**

CHITTAR, PATHANAMTHITTA

8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikkara,  
Talak Hospital Kadakkal

Neeman Nandak / 12/M Date: 10/10/2017

O/E

BP - 110/80 mmHg.

PR - 80/min.

CVS - S<sub>1</sub>S<sub>2</sub> heard.

RS - NUBS, Chest clear.

GIT - Soft, Nontender.

CNS - NAD.

Imp: Medically fit for work.



**SAR MEDICARE DOCTOR'S CLINIC**

CHITTAR, PATHANAMTHITTA

8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikkara,  
Talak Hospital Kadakkal

Ravikumar Nandak / 25/M Date: 10/10/2017

O/E

BP - 120/80 mmHg.

PR - 86/min.

CVS - S<sub>1</sub>S<sub>2</sub> heard.

CNS - NAD.

RS - Chest clear, NUBS.

GIT - Soft, Nontender.

Imp: Medically fit for work.



**SAR MEDICARE DOCTOR'S CLINIC**

CHITTAR, PATHANAMTHITTA

8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikara,  
Taluk Hospital Kadakkal

Chedi Rajak / 69 / M Date: 10/10/2022

O/E

BP - 130/90 mmHg.

PR - 72/min.

CNS - S/S head.

RS - NUBS - Chest clear

GIT - Soft, Non-tender

CNS - NAD.

Imp: Medically fit for work.



Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117



**SAR MEDICARE DOCTOR'S CLINIC**  
CHITTAR, PATHANAMTHITTA  
8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikara,  
Taluk Hospital Kadakkal

Kali Chazan / 28 / M Date: 10/10/2022

O/E

BP - 110/80 mmHg.

PR - 70/min.

CNS - S/S head.

RS - NUBS, Chest clear

GIT - Soft, Non-tender

CNS - NAD.

Imp: Medically fit for work.



Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117



**SAR MEDICARE DOCTOR'S CLINIC**  
CHITTAR, PATHANAMTHITTA  
8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikara,  
Taluk Hospital Kadakkal

Sandosh Kumar Mandal Date: 10/10/2022  
37 / M

O/E

BP - 120/90 mmHg.

PR - 72/min.

CNS - S/S head.

RS - Chest clear, NUBS.

GIT - Soft, Non-tender

CNS - NAD.

Imp: Medically fit for work.



Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117



**SAR MEDICARE DOCTOR'S CLINIC**  
CHITTAR, PATHANAMTHITTA  
8.00 am - 8.00 pm

Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117  
Ph: 8310530749

Former Medical Officer (NHM)  
FHC Chittar, Vadasserikara,  
Taluk Hospital Kadakkal

Vishwajith Roy / 25 / M Date: 10/10/2022

O/E

BP - 110/80 mmHg.

PR - 78/min.

CNS - S/S head.

RS - Chest clear, NUBS

CNS - NAD.

GIT - Soft Non-tender

Imp: Medically fit for work.



Dr. Al-Sharfi Abdul Khader MBBS  
Reg. No. 66117



**SAR MEDICARE DOCTOR'S CLINIC**  
CHITTAR, PATHANAMTHITTA  
8.00 am - 8.00 pm